











Short portrait

Medium-sized, owner-managed manufacturer of film packaging and system supplier for other packaging

Most extensive polyethylene (PE) stock program in NRW, therefore often able to deliver much faster

- More than 50 years of experience in the production of film packaging for almost all industries
- Modern, flexible machinery for everything from narrow bags to extra-wide sacks and hoods
- Responsible management with good long-term relationships with customers and suppliers
- Quality management system certified as very good (DIN EN ISO 9001) with HACCP concept
- Extensive range of special films (VCI, ESD, BIO, pharmaceutical, COEX, various additives etc.)
- 2016 New construction of the production, warehouse and administration site, capacity expanded
- Environmentally oriented, climate-neutral company* with climate-neutral products** (only a small surcharge). We are a supporter of the "Alliance for Development and Climate", a broad social alliance for climate protection and development of the Global South, and have been producing our films with a recycled quotation of more than 90% for many years.)

As a specialist in sustainable packaging, we offer products such as premium RECOMPOUND (recycled PE material in very good very good PIR quality), compostable film (e.g. based on corn or potato starch) or recyclable organic film (sugar cane-based) as well as organic film (sugar cane-based) and all products can be climate-neutral on request thanks to CO2 offsetting** (Scope 1-3). As a climate-neutral company*, we have also been offsetting our self-generated greenhouse gas emissions (Scope 1+2) through the TOGO climate protection project run by our partner natureOffice.









Corporate Principles

The needs and requirements of our **customers and our employees** are at the forefront of our activities. We offer our customers an outstanding price-performance ratio as well as excellent service, e.g. through a personal contact person in sales, highly flexible, reliable production options and short delivery times thanks to a very large stock of raw materials.

Our **environmental policy** commits us to measures that go beyond the legal requirements and DIN EN ISO 14001 and 50001. Among other things, as a supporter of the "Alliance for Development and Climate", we are a climateneutral company, a specialist in environmentally friendly products with a recycling quotation of over 90% and offer all products climate-neutrally on request.



The human being in the center

Ensuring the **quality** of our products and processes is a central element of our corporate policy. The trust of our customers is based on consistently high quality. This is guaranteed by the consistent implementation of the quality management system by all employees. Our quality management system has been certified to DIN EN ISO 9001 for more than 15 years.

As a family business, we are **value-oriented** and socially committed, cooperate with the "Iserlohner Werkstätten" for our employees and rely on very long-term, trusting relationships with customers, suppliers and employees. Our guiding principle is the international EU "Guideline for the social responsibility of organizations (DIN ISO 26000)".

Poly-Pack



Products | Sector solutions | Sustainability | About us | Contakt us

Environmental friendliness and technical properties

- Plastic films made of polyethylene (PE) contain the same basic organic substances as wood and plant fibers, namely only carbon and water.
- PE films burn without residue to form carbon dioxide and water. No toxic vapors or gases are produced, and no slag is formed.
- PE films contain no plasticizers and no heavy metals. They are physiologically harmless.
- The production of PE films produces neither odors nor waste water.
- The use of raw materials, energy consumption during production, water consumption, weight and space requirements at landfills are much lower for PE films than for comparable materials such as wood, paper, corn, etc.
- PE films have high tear and wet strength. PE films are groundwater-neutral in landfills and a welcome energy donor in incinerators.

Poly-Pack Premium RECOMPOUND



Poly-Pack Premium RECOMPOUND stands for packaging made from highgrade recycled PE film.

It differs strongly from inferior regenerates and is an important building block of our corporate orientation.

By using recycled material, we contribute within our scope to reduce plastic waste in the oceans and to protect the environment.

Carbon neutral company

The idea of the climate-neutral company: Taking responsibility for the environment, namely for the carbon dioxide (CO2) emissions that one causes oneself. These are compensated 100% by a climate protection project.

PROJECT TOGO

klimaneutral

We have chosen a project in Togo in West Africa, where CO2 is reduced again by the same amount through the reforestation of trees. In addition, the people there benefit from many social improvements.

more: https://www.natureoffice.com/en/



Worth knowing

In the production

Carbon monoxide

are used ...

3 times less

6 times less

Nitric oxide

8 times less

Hydrocarbon

13 times less

Sulfur dioxide

about polyethylene



Interesting facts about climate neutrality (Source: abridged from https://www.climatepartner.com/de/wissen/insights/scope-emissionen-reduzieren; own emphases)

"The international community has long recognized that greenhouse gas emissions must be reduced worldwide in order to stop global warming. With the Kyoto Protocol of 1997, countries agreed for the first time in history on binding targets and measures to combat climate change. This agreement formed the basis for the Greenhouse Gas (GHG) Protocol. The GHG Protocol was developed in 1998 on the joint initiative of the World Resources Institute and the World Business Council for Sustainable Development in order to create a uniform framework for calculating greenhouse gases. ... It includes guidelines and specifications that enable companies to take stock of their greenhouse gas emissions and calculate their corporate carbon footprint.

The Corporate Carbon Footprint (CCF) describes the total amount of greenhouse gas emissions (including CO₂ emissions) generated directly or indirectly by a company's business activities. ... The GHG Protocol Corporate Standard categorizes greenhouse gas emissions associated with a company's corporate carbon footprint as Scope 1, 2 and 3 emissions. ... According to the GHG Protocol, the main purpose of this categorization is to distinguish sources of direct and indirect emissions and to ensure that two or more companies do not report emissions in the same scope. ...

However, these scopes do not concern the Product Carbon Footprint (PCF), which describes the total amount of greenhouse gas emissions caused by a product or service over various phases of its life cycle. ...

The GHG Protocol requires all Scope 1 and 2 emissions to be accounted for

1. scope 1 - direct emissions

Scope 1 emissions are emissions from sources for which companies are directly responsible or controlled. This includes emissions from energy sources at the company's site, such as natural gas and fuels, coolants, as well as emissions from the operation of boilers and furnaces. ... Scope 1 also includes emissions from the company's own vehicle fleet (e.g. cars, vans, trucks, ... etc.).

In contrast to direct emissions, the GHG Protocol defines indirect emissions as the result of a company's operations, but **from sources owned or controlled by another company**. These include the . Scope 2 and 3 emissions. ...

2 Scope 2 - indirect emissions from purchased energy

Scope 2 emissions are indirect greenhouse gas emissions from purchased energy, such as electricity, steam, district heating ... that is generated outside the company's own system boundaries but consumed by it. ... If companies themselves generate energy from sources that they are responsible for or control [e.g. photovoltaics at Poly-Pack], the associated emissions are considered direct Scope 1 emissions. ...

3. scope 3 - indirect emissions within the value chain

Scope 3 includes all indirect emissions that occur along the value chain of companies. To make a clear distinction between Scope 2 and Scope 3, the US Environmental Protection Agency (EPA) describes Scope 3 emissions as "the result of activities from facilities that are not owned or controlled by your company, but your company directly influences these activities within its own value chain."









RECOMPOUND

- For packaging that does not have to be food-safe, PE films made from highquality recycled material can be used for film thicknesses (thicknesses) > 50 μ, which differ greatly from low-grade recompounds.
- This recompound material is recycled PE, which is a by-product of film extrusion and is optically indistinguishable from 1A material. It has comparable properties. The German Federal Environmental Agency recommends this solution because the environmental balance is the best.
- The film can be printed with a logo on request, so that you can point out your environmental commitment to your customers.
- We do not charge extra for this material. Depending on the market situation, it may even be a price advantage.



PE CARBON NEUTRAL

- With this variant, you use "normal" PE film based on fossil raw materials (e.g. recyclate). In order to compensate for the climate impact, we make compensation payments to your desired climate protection project.
- We offer you a choice of various climate protection projects. You will receive an original certificate for the project of your choice. We ourselves are a CO₂-neutral company and can deliver all products climate-neutral on request.
- With appropriate purchase quantities, a corresponding logo can be printed on the film to draw your customers' attention to your commitment. Alternatively, we can also supply stickers.
- This will increase your packaging costs by a maximum of 2%. A small contribution, but one that is good for the environment.



BIOBASED LD-PE

- If you need LD-PE: We use "OK biobased" with 4 stars based on sugar cane, where it is certified that the organic content is at least 80% (100% is not technically possible at the moment).
- Here, a waste product is used that is produced anyway during the sugar cane harvest. No additional arable land is required.
- The film is indistinguishable from fossil-based LD-PE and can also be recycled in combination with it in the normal cycle.
- Of course, an appropriate logo can also be applied here.
- However, depending on the market situation, the additional costs amount to approx. 50 %.

COMPOSTABLE FILMS

- This is more frequently requested by customers, but in our opinion the least sensible organic variant, is the use of compostable film based on corn or potato starch.
- The very fact that these films can only be composted in industrial composting plants and will most likely never be disposed of there casts doubt on the usefulness of this material. Information on the problem of these plastics can be found on the website of the Federal Environment Agency at:

www.umweltbundesamt.de.

- Of course, we can still offer you this variant and - in this case - print it accordingly.
- The additional costs amount to approx. 350%, depending on the current market situation in each case.

This material is already widely used by our This material is already frequently used by our Dutch neighbors, who are much further ahead than us in Germany when it comes to organic films

This material actually corresponds best to the organic concept, but is still the least environmentally friendly alternative today.

In our opinion, the combination of recompound material - if applicable - and certified climate neutrality makes the most sense from both a marketing and an environmental point of view. You can highlight both in an effective advertising way with an imprint.





MANUFACTURER OF PLASTIC PACKAGING

BAGS AND SACKS

- Flat bags and sacks
- Side ausset baas and sacks
- Adjustment bags
- Tear resistant garbage bags
- Various special bags



HOODS

- Shrink hoods
- Cover hoods
- Y-hoods (S-hoods)
- Oversized hoods
- Box hoods

Poly-Pack


SPECIAL FILMS

- VCI products (corrosion protection)
- ESD products (protection against electrostatic discharge)
- Biofilm products
- Stretch, Bubble wrap, Foam (film) products
- Printed items



FLAT AND BLOWN FILM

- Side gusseted film
- Flat films / cover films
- Centrefold film
- Sections of PE blown
- Film sections



PACKAGING SYSTEMS SUPPLIER

STRETCH FILM

- Hand stretch film
- Machine stretch film
- Equipment and accessories



AIR CUSHION / FOAM FOLIEN products

- Packaging products from foam film
- Bubble wrap packaging products



CARDBOARD PACKAGING

- Cardboard boxes (standard/special sizes)
- Corrugated cardboard products
- Octabins
- Containers (PC)
- Filling, cushioning and fixing materials



OTHER PACKAGING **PRODUCTS**

- Strapping tapes
- Adhesive and packing tapes
- Sealing systems
- Welding equipment
- Industrial hygiene articles
- Protective masks and face shields
- Pallets







Adhesive closure bags Adhesion flap bags Adhesive-lock bagsAdhesive tapes Adhesive rolls Air cushion bags Air bubble films Antibacterial film products Anti-slip products (with GUR) Antistatic products (ESD special film) Antistatic products (antistatic agent)



Bags Bags on roll (tear-off bags) Barrier film products (COEX) Blanks (foil blanks) Block bags Block bottom bags Bottom gusset bags Box covers Box covers (gusseted bags) Box inserts (inlays) Bread bags



Bubble bags

Cardboard boxes Chemicals bags Cleaning paper / wiping cloth - rolls Composite films (COEX) Closure bags COEX (multilayer) film products Colored products (opaque = opaque) dto. (translucent = not opaque) Compostable film products Construction films (cover films) Corrosion protection products (VCI) Corrugated Cardboard Products Corrugated cardboard bags Cover foils Cover tarpaulins Cross bottom bags and sacks

Dental bags (pressure seal bags) Dispenser systems for hygiene articles Double bottom seam products Double chamber bags Drawstring bags Drills for eyelet wires



ECO films (BIO) Eurohole bags (sealing bags) ESD bags (special antistatic bags) Evelet wires



FFP2 masks Fillers Film blanks (cuttings) Fixing materials Flat bags and sacks Flat films Flap bags Foam (film) products Food safe products



Garbage bags (standard: blue opaque) Grip-hole bags



Hand shrink equipment Hand stretch film Hand washing pastes / liquid soaps HDPE products (high density PE *) Header bags Hygiene products / dispenser systems



Impulse tong welders Inlays (for lattice boxes /other containers)

Kangaroo bags (dental bags) KLT outer and inner packages Kitchen rolls



LDPE products (low density PE *) Liquid soaps / hand washing pastes



Machine stretch film MDPE products (medium density PE *) Multi-chamber bags Multilayer film products (COEX) Mouth-nose protection



Needled (needle perforated) products Narrow bags Narrow foils

Oversized bags and hoods



Octabins (octagonal containers/cartons) Organic film products (BIO / ECO) OR masks Other load carriers Other packaging



Packing Tapes Pallets Paper folded towels Perforated products (on roll or needle perforated) Pharmaceutical products (especially high requirements of the pharmaceutical industry)

Pedal bin bags Polyethylene (PE) products Polypropylene (PP) products Printed articles Pressure seal bags



Quick binders (plastic)



Round bottom bag Recyclable bags Reclosable bags (sliding closure bags) Release liner products (COEX)



Sections (of PE tubular films) Semi-tubular films Shrink hoods Shrink tubular films slide closure bags Soaps / liquid / hand washing pastes Side gusset bags and sacks Side gusset films S-hoods (Y-hoods) Sealed edge bags (vacuum bags) Slide closure bags (dental bags) Special film products Stretch film / stretch film products Strapping tapes



Tear-off bags (bags on roll) Toilet paper Towel / wipe / universal rolls Transparent products (standard; except for garbage bags) Tubular film Tubular film sections (cuttings)



Upholstery fabrics UV-absorbing articles (with UVprotection of the packaged goods) UV-stable products (with UV stabilizer)



Vacuum bags (sealed edge bags) VCI (corrosion protection) products Valve bags Vending machine bags Vending machine films Visors (for protection against viruses)



Waste bags# Wipes / Hygiene wipes



Y-hoods (S-hoods) ziplock bag

Product overview A – Z



All products

by CO₂ compensation

climate neutral on

request

All products climate neutral on request

by CO₂ compensation

All products climate neutral on compensation



Products | Sector solutions | Sustainability | About us | Contakt us

Products: Standard and special requirements

Every customer has very specific requirements, including in terms of width and length dimensions, film thickness and properties that the film should have. Our strength lies in responding to these requirements with our flexible, modern machinery.

- We mainly manufacture from environmentally friendly and recyclable polyethylene (PE) as LD-PE, HD-PE or MD-PE, depending on requirements - but we can also produce or supply products made from other materials.
- As standard, our film products are supplied in a transparent, easy-glide and unprinted version.
- Of course, you can also order the products in various special versions, e.g.:
- food-safe (suitable for direct food contact) or pharmaceutical quality (special requirements such as BRC certification, lubricants, etc.)
- opaque (opaque) or translucent (non-opaque), dyed in the color of your choice
- printed, perforated or needled
- with additives / special features such as VCI (corrosion inhibitor), ESD (special antistatic agent to protect against electrostatic charge/discharge), antistatic agent (normal), anti-slip agent (GUR), UV protection (UV stabilizers or UV blockers to protect against solar radiation), vegetable-based lubricant, additive to protect against scratches on plastic surfaces, etc.
- Printing: Simple printing up to 10-color photo print quality

More and more customers require special, simpler prints that go beyond a normal RC/resy mark or the "Green Dot", such as warning notices, company logos, climate-neutral logos, ESD marks, Interseroh marks, consecutive numbering or Triman logos for disposal in France or Italy.

We have also invested in a highly flexible printing unit, which is used on all machines for the production of film packaging. With a very good print image and 4 variably adjustable print heads, placed printing with high repeat accuracy is possible at low cost. Connecting the new printing unit to another machine takes just under half as long as before. Operation by our employees is uncomplicated and very







Foil packaging: Bags and sacks (selection)




For almost all products and application areas

Width: from 100 to 1500 mm Length: from 150 to 4000 mm Thickness: from 0.03 to 0.25 mm



e. g. as inlay or as outer packaging for lattice boxes, crates or for **KLT** containers (dimensions see right)

Width: from 200 to 4000 mm Length: from 200 to 4000 mm Thickness: from 0.03 to 0.25 mm





e. g. for spare parts, laboratory and health care items, for stock items as well as for police evidence

width: from 40 to 400 mm length: from 60 to 600 mm thickness: 0,05 mm / 0,09 mm



for recyclables, waste and for other purposes: - usually perforated on roll

width: from 480 to 800 mm length: from 500 to 1100 mm thickness: from 0,05 to 0,20 mm



Resealable bags with adhesion or sliding closure or sliding closure; e.g. for stock items

Dimensions on request



for recyclables, waste and for other purposes

width: from 480 to 800 mm length: from 500 to 1100 mm thickness: from 0,05 to 0,20 mm



All products climate neutral on request

by CO₂ compensation

Poly-Pack

Products | Sector solutions | Sustainability | About us | Contakt us

Foil packaging: Bags for special products (selection)



e. g. for filling, storage and transport of foodstuffs and luxury foodstuffs such as tea. coffee, spices, baked goods and for finely ground products of all kinds (also available in polypropylene PP available)

Dimensions on request



Bag with tear-off perforation: Welded together at top edge; attachable to holder through holes in block strip and easily torn off individually

Various designs and Dimensions on request



e. g. for filling, storage and transport of liquid or powdery products

Dimensions on request



Bags with handle hole punching: Small bags as carrier bags for various products

Various designs and Dimensions on request



e.g. as a mailing bag for documents, brochures or small textiles;

optionally resealable with adhesive closure

Dimensions on request



Vacuum bag with chamber(s): e.g. for food and for pharmaceutical / technical articles, chemicals or liquids (with inclined insert); high mechanical strength

Various designs and Dimensions on request



All products climate neutral on request by CO_2 compensation





Products | Sector solutions | Sustainability | About us | Contakt us

Foil packaging: Hoods (selection)



PE (Polyethylene) shrink hoods (from shrink film)

e.g. as transport protection for EURO-, Chemistry- and other pallets

width: from 1000 to 3000 mm length: from 500 to 4000 mm thickness: from 0,10 to 0,25 mm

Other dimensions on request



Oversized PE hoods (with or without shrinkage values)

e.g. as transport protection or covering of particularly large goods or containers

width: from 1000 to 3000 mm length: from 500 to 4000 mm Thickness: from 0.10 to 0.25 mm

Other dimensions on request



 Nummer
 Nennmaße (mm)

 R-KLT 6429 / RL-KLT 6280
 600×400×280

 R-KLT 6415 / RL-KLT 6147
 600×400×147

 R-KLT 4329 / RL-KLT 4280
 400×300×280

 R-KLT 4315 / RL-KLT 4147
 400×300×147

 R-KLT 3215 / RL-KLT 3147
 300×200×147



PE- Y-Hoods / PE- S-Hoods (from shrink film)

e.g. for better adaptation the shape of individual packaging material

width: from 1000 to 3000 mm length: from 500 to 4000 mm Thickness: from 0.10 to 0.25 mm

Other dimensions on request



PE covers (made of gusseted film without shrinkage values); e.g. as dust protection for EURO-, Chemistry- and other pallets as well as for larger containers

width: from 1000 to 3000 mm length: from 500 to 4000 mm thickness: from 0,03 to 0,25 mm

e.g. as outer packaging for KLT (dimensions see right):

Other dimensions on request

Or as box hoods

individually according to your requirements also available in oversizes up to 11 meters

From 30 μ to 250 μ .

Any design, top straight, slanted, as box or trapezoidal shape, is possible.







Foil packaging: Foils, blanks, cuttings (selection)



PE film on roll, 2-ply as flexible packaging, (for shrink lines or for further processing on packaging machines)

width: 40 to 3000 mm thickness: 0,03 to 0,25 mm



Pieces cut from PE tubular film rolls, 2-ply, (especially for packaging open at the top and bottom as product protection)

width: 40 to 3000 mm thickness: 0,03 to 0,25 mm



PE film on roll, 2-ply

(Seam only on one side; as flexible packaging or for various other purposes)

width: 40 to 3000 mm thickness: 0,03 to 0,25 mm



Cut pieces of PE flat film with 4 straight edges without seam, 1-ply; (e.g. as inlay for grid boxes or as pallet bottom)

width: 100 to 6000 mm length: 150 to 5000 mm thickness: 0,03 to 0,25 mm



PE tubular film with shrink values, on roll, 2ply (as flexible packaging or for further processing on packaging machines).

width: 40 to 3000 mm thickness: 0,03 to 0,25 mm



PE film with side gussets on roll, 2-ply, e.g. with shrink values (for shrink lines or for further processing to cover hoods on packaging machines)

width: 40 to 3000 mm thickness: 0,03 to 0,25 mm



e.g. as cover film in industry, storage or construction industry; ideal also for processing on packaging machines

width: from 1,50 m - 6 m

50 rm. / 100 rm. on the roll



Hand stretch film



Film packaging: Stretch film (overview)



- Suitable for all pallets
- Pre-expansion on the product (little effort necessary and material saving possible)
- Protection of the product against dirt, dust and moisture
- High elongation at break
- Reading of barcodes possible
- Good quality, very good price

Foil width: 500 mm

Thicknesses: 17 my | 20 my | 23 my

Pre-stretch: 150 530 mm Core: Core inner Ø: 50 mm

Core weight: 2,10 - 3,15 kg

Roll weight: 1,75 - 3,15 kg (gross with core)

Colors: Transparent (standard)

- also black, white or blue

Various designs on request





- Suitable for all common stretch devices / machines
- Pre-stretching on the product (little effort necessary and material saving possible)
- Protection of the product against dirt, dust and moisture
- High elongation at break
- Good quality, very good price

Film width: 500 mm Thicknesses: 17 - 35 my

Pre-stretch: 150 % | 220 % | 230 %

Core: 510 mm Core inner Ø: 76 mm Core weight: 1,6 kg

16 - 17,5 kg (gross with core) Roll weight:

Colors: Transparent (standard)

- also black, white or blue)

Various designs on request




All products climate neutral on request by CO₂ compensation





Foil packaging: Foam film or bubble wrap products (overview)



- As product protection or cushioning material
- Various plastics possible, such as among others PE, PP, PET
- Available with additives, such as antistatic, ESD, VCI
- Colors: Transparent (standard)

Products: e.g. as

- Foam tubular film on roll
- Foam tubular film round
- Foam bags
- Foam film blanks
- Foam sliding boxes
- Rigid foam blanks





- As product protection or cushioning material
- Made of PE layers, cover film and Air cushion layer
- Available with additives, such as antistatic, ESD, VCI
- Colors: Transparent (standard)
 also available in white
- 2 or 3 ply, different naps

Products: e.g. as

- Air bubble tubular film on roll
- Bubble wrap bags (if necessary with SK-closure)
- air bubble film bags
- Bubble wrap mailing bags
- Air bubble film blanks (if necessary with additives like VCI)
- Air bubble film flap bags

Various designs on request







Foil packaging: Products from special films (selection)



- Bags, sacks, hoods
- Tubular film / flat film
- Bubble film or foam film products
- Blanks, flat wrappings

For protection against corrosion

Various designs and dimensions on request



- Bags, sacks, shrink or cover hoods
- Tubular / flat film
- Biodegradable / from renewable raw materials

Various designs and dimensions on request



- Bags, sacks, film etc.
- a. o. special products for the requirements of the pharmaceutical industry
- a. o. extremely conductive ESD film products

Various designs and dimensions on request



- Bags, sacks, hoods etc.

For protection against electrostatic charging or discharging (simple protection to extremely conductive foil)

Various designs and dimensions on request



- Bags, sacks, foil etc.
- Products made of films, which consist of several layers and therefore combine different positive properties

Various designs and dimensions on request



All foil packagings are available on request n printed version.

- Simple printing up to
- 10-color photo print quality

Dimensions as for products without print



All products climate neutral on request

by CO₂ compensation



Other packaging and products (selection)

Cardboard boxes and corrugated products



System cartons, containers, Octabins, corrugated cardboard inverted lids folding boxes etc.

Various designs and dimensions on request

Filling, cushioning and fixation materials



Surface / edge protection:

Packing chips, loose Filling material, air cushions, bubble wrap, paper and cardboard pads, air chamber mats and protective pads

Various designs on request

Adhesive tapes



Printed / colored / simple adhesive tape made of various materials (depending on intended use)

Various designs and dimensions on request

Packing tapes



Printed / colored / plain packing tapes made of different materials (depending on the application) as well as corresponding dispensers

Various designs and dimensions on request

Closure systems



For bundling, securing and sealing your goods

- Rubber bands
- Cable ties
- Closing wires
- Plastic quick ties
- Various designs on request





Other packaging and products: Strapping (overview)

PP-(polypropylene) strapping

For light packaged goods (packages)

- Cost effective and fast
- Package securing
- High sealing strength
- Versatility (many widths, thicknesses, tearing forces possible)
- Environmentally friendly (plastic instead of textile or steel),
- 100% recyclable

Suitable for all common strapping devices and machines

- Good quality, very good prices

Tape width: 5 / 8 / 9 / 12 / 15 / 16 / 19 mm

Thicknesses: 0.35 - 1.0 mm

Strength: good elasticity, split and splice resistance Core: 406 / 392 / 280 / 200 / 150 / 62 mm


Colors: black or white

- also available in colors (blue, red, yellow)

Tear strength: breaking load: (60-450 kg) smooth or embossed available Embossina:

Various designs and prices on request

PET-(Polyethylene terephthalate) strapping



For medium and heavy packaged goods -

- Cost-effective and fast
- securing of packaged goods
- High seal strength- Versatility (many widths, thicknesses, tear forces possible)
- Environmentally friendly (plastic instead of textile or steel),
- 100% recyclable
- Suitable for all standard strapping devices and machinest
- Good quality, very good prices e

Tape width: 9 / 11 / 12 / 13 / 15 / 16 / 19 / 25 / 32 mm *

Thicknesses: 0,4 - 1,52 mm

Strength: good elasticity, split and splice resistance.

Core: 406 mm

Colors: green (standard)

- also available in colors (blue, red, others on request)

Tear strength: breaking load: (150-1,830 kg) Embossing: smooth or embossed available "Jumbo rolls" for bulk users: 1,100 mm | 66,000 m

Various designs and prices on request



All products climate neutral on

request

by CO₂ compensation





Devices / Other products (selection)

Hand shrinkers



e.g. model Ripack 3000: High quality and particularly safe due to cold nozzle system and safety system light and ergonomic maintenance is guaranteed

e.g. model BLITZPACK B 4000: Double safety gas pressure valve and self-cleaning safety valve system

- Favorable price / gas consumption

Hose Trolley for Hand Shrinkers



- Mobile shrink unit
- Gas cylinder trolley for 13 or 33 kg
- Easy and comfortable transport
- Flexible or swiveling mast (depending on model)
- Long life and comfortable use
- Compliance with insurance-technical regulations

Various models on request

Impulse tong welder



- e. g. model **GE 120**:
- safe and reliable
- Pulse heating

infinitely variable for different film types and thicknesses

Models on request

Drilling equipment for eyelet wires



e.g. for closing sacks, for routing concrete binding wire, mounting irons and fence wires

Models on request

Eyelet Wires and Bag Closures



For fastening and Closing

- soft annealed
- Iron wires
- reddish bright or galvanized stainless steel wires

Various designs on request



All products climate neutral on request

by CO₂ compensation

Quality toilet paper / dispenser

Folded towels / dispenser



Products | Sector solutions | Sustainability | About us | Contakt us

Industrial hygiene articles (selection)

low lint and firm

- pleasantly soft very good moisture
- absorption with suitable dispenser systems
- Versions on request
- extreme wet and tear resistance;
- resistant
- optimal cleaning with suitable dispenser systems Versions on request
- very economical;
- Pleasant
- made of cellulose or recycled paper with suitable dispenser systems
 - Versions on request

Towel rolls (inside unwinding) / dispenser





- multifunctional wipes/towels
- suitable for short contact with food
- Suitable dispenser

Designs on request





- favorable from vegetable raw materials or
- hygienic soap against germs

with suitable dispenser systems

Versions on request







All products climate neutral on request by CO₂ compensation





VCI Poly-Pack | "CORROSION PROTECTION": Protect metal products from corrosion: STEEL, IRON AND NON-FERROUS METAL PRODUCTS, METAL PRODUCTS



ESD Poly-Pack | "ELECTRONICS SECURITY": Protect electronic products from electrical charging / discharging: ELECTRICAL ENGINEERING, IT sector, AUTOMOTIVE, CHEMICALS



We have designed

these 10 industry

solutions

specifically for

customers from

these sectors in

requirements

best products,

optimum service

and excellent value

them the

for money.

order to meet their

precisely and offer

"HEALTH CARE" | Protection of life, implementation of the special requirements for FOOD AND FOODSTUFFS and CHEMICAL/PHARMACEUTICAL/COSMETIC PRODUCTS



"SMART SUSTAINABILITY" | Being a pioneer for the environment ENERGY INDUSTRY, ENVIRONMENTAL ENGINEERING, PUBLIC ADMINISTRATION: MARKETING and more.



"LARGE PACKAGING" | Sacks and hoods: PLASTICS INDUSTRY, RUBBER GOODS AND TIRES, AUTOMOTIVE, ELECTRICAL ENGINEERING, SERVICES, TRADE and more



"SMALL PACKAGING" | Bags: ADVERTISING INDUSTRY, FOOD AND ANIMAL FEED, CHEMICALS / PHARMACEUTICALS / COSMETICS, PLASTICS, AUTOMOTIVE, TRADE



"SHRINKING HOODS and SHRINKING FOIL for CONSTRUCTION, TRADE and INDUSTRY



"BE FLEXIBLE" – Do It Yourself | POLY-PACK Flexible use of Blown film: MECHANICAL ENGINEERING, STEEL, FERROUS + NON-FERROUS METAL PRODUCTION, CONSTRUCTION



"PROTECTIVE SHEET" | Poly-Pack Flat film / Covering foil: PLASTICS AND PLASTICS PROCESSING, METAL PRODUCTION, METAL PRODUCTS, CONSTRUCTION and more



"STRETCH SAFE" | Perfect load securing of POLY-PACK: PACKAGING TRADE, LOGISTICS, SHIPPING AND STORAGE, PAPER AND PRINTING, FOOD AND FOODSTUFFS and more

For over 50 years, we have been a reliable packaging partner for our customers in industry, services and trade. That is why our long-standing regular customers include many wellknown medium-sized companies and international corporations from a wide range of sectors, such as the food industry, chemical / pharmaceutical / cosmetics industry, mechanical engineering, electrical and automotive industries. Energy and waste disposal companies, leading packaging distributors as well as public authorities, municipal administrations, hospitals and departments of universities and technical colleges also regularly purchase our products.

Poly-Pack Sales Team



Jana Schmitt | 02371 / 93-98 - 28 jana.schmitt@poly-pack.de



Tim Sturm | 02371 / 93-98 - 11 tim.sturm@poly-pack.de



Nicole Schiedewitz | 02371 / 93-98 - 27 nicole.schiedewitz@poly-pack.de



Onur Gözütok | 02371 / 93-98 - 26 onur.goezuetok@poly-pack.de



Tanja Gutsche | 02371 / 93-98 - 23 Tanja.gutsche@poly-pack.de


Your personal contact persons



Poly-Pack ®

Products | Sector solutions | Sustainability | About us | Contakt us







News

Poly-Pack produces climate-neutral (Article IKZ online 24.10.2024)

Poly-Pack focuses on climate protection (report IKZ 25.10.2024)

Environmental and energy management - energy consulting 2024

Environmental software "ecozoom" for determining CO₂ emissions

Poly-Pack once again 100% climate-neutral company in 2023 *

Credible climate protection (South Westphalia Manager 05/2024)

Poly-Pack supporter of the Alliance for Development and Climate

Cover story "TOP performer" in the South Westphalia Manager

Poly-Pack cooperates with the Iserlohner Werkstätten

Poly-Pack New production and administration site since April 2016



Poly-Pack

Products | Sector solutions | Sustainability | About us | Contakt us

ISERLOHN

"Poly-Pack" setzt auf Klimaschutz

Der Hersteller von Folienverpackungen in Kalthof ist ein klimaneutrales Unternehmen und unterstützt Umweltprojekte

BEE IN DRIVE.

Kalthof, Für Kunden, die ein bestimustes Produkt kauten, zählt oftmals der Inhalt und weniger das. was sich _außen berum" befindet. Der Verpackung wird eher weniger Aufmerksamknit peschenkt. Sie dient mehr als Mittel zum Zweck. chamit das Produkt out onschützt ist. Doch hinter der Produktion und Verarbeitung steckt viel mehr Aufwand, als man out den cesten Blick vernunen mag - besonders auch mit Blick and Emergie- and Resonarcenschonung, was für Betriebe wichtiger denn je geworden ist.

Ich finde, solche Projekte mussen unterstützt werden und aus unserer Sicht müssen wir etwas für den Klimaschutz tun. Wir möchten unseren Beitrag leisten, dass unser Planet bewohnbar bleibt.

> Markus Lennhoff, Prospins bei Pay-Pack

nestandards entsprechen müssen Hier letomen wir kein recycettes Material verwenden, sondern Neuware. Das sind sozusagen die Jeblenden' zehn Prozent', erklart Lenghalf, In der Fertigungshalle mehon inseesant vier große Maschinen, die aus den transparenten Polienlagen beispielsweise Säche Beutel oder Abdeckbauben nach MaS anfertigen

Univer Kunden kommen meist use Deutschland, sind ober auch international vertextest, so Lens. hoff. Somit versorgen sie nicht nur mitteletändische Unternehmen zus der Region, sondern auch weltweit. bekannte Konzerne. Das Besonde re: Bei "Poly Pock" selbst sind greu le einmal 14 Mitarbeivende beschäftigt und dennuch behaupter sich das vergleichsweise kleine Unternehmen gegen die Konkur-

verbleibende Emissione

Gleichzeitig legt der Betrieb virl Wert auf Klimaschutz, sowohl bei den Produkten als auch bei ihrer Herstellung. Seit vier Jahren darf. sich "Poly Pack" als klimaneutrales Unternehmen bezeichnen "Die CO₂-Emissionen, die wir dennoch verursachen, kompensieren wir-, erklärt der Prokunst. Als Ausgleich investiert der Betrich in das Klimaschutzprojekt "Togo". Dudurch sol-

das bestimmende Thema gewor-

ckungebranche ist Nachhaltigkeit denden Wettbewerbsvorteil bringen



Markus Lennhoff ist Prokurist und unter anderem zuständig für Verkauf, Marketing und Qualitätsmanagement.

Eine iener Firmen, die Folienver- len Menichen in Togo unterstützt mackanium hunstellen sitzt hier in sanden und eine bessere Lehens berfohn "Poly-Pick" blickt auf grundlage geschaffen werden. Fintag 25 Oktober 2020 eine inzwischen über 50 übrier Unternelunemæsehichte aurück Plastikfolien und Vernackummunaperial weniellen himselstlich der Aspekte Nachhaltigkeit und Umweltschutz nicht unbedingt den besten But Duch days excharghous umwellschonende Ahernativen gibt, beweist the mittebeländische Retriebin Kalthol, der sich selbst als Marreiter in diesem Beweich beweichnet.

Folien haben einen Recycling-Anteil von 90 Prozent Für die Heimatzeitung öffnet Pro-Ture, erklärt dabei nicht nur, was in der Firma gefertigt wird, sondern auch, wie sie sich im Bereich Klimavon Lieferanten beziehen, baben omen Recycling-Antell von 90 Prozent", erklärt Lennhuff. Durin verpackt werden Produkte, die aus unterschiedlichuten weise Kosmetik, Werkzeuglertigung. Automotive, sowie die Leensmittel- and Pharmaindustrie and Spezialfolien notwendig die nten Vorgaben and Hygir-

sec untentitiet werden und use amarrer Sieht müssen wir etwas für den Klimaschutz tun. Wir muchten unseren Beitrag leisten, dass unset Planet hewelinbur bleibt", stelli Markens Lengthoff litter Und nuch im hadenden Retrieb und am Gebinde selbst können Eitergie-Anpassani gen zu massiven Einsparungen führen. Wir haben das Glück, dass wis kurist Markus Lemnhoff Turen and mit dem Umzug nach Kalthof in einem Neubau einzieben komnten der bereits sehr energieeffizient in: so der Prokurist. Zudem betreibt schutz einsetzt. "Die Folien, die wir das Unternehmen eine Photovoltaik-Anlage, die im nachsten lahr noch vergrößert werden soll. So milese eral clinges investiert warden, um eine klimalreundliche Pro-Branchen duktion zu ermöglichen, doch ir stammen. Duzu gehören beispiels- genöwnnn rechne sich das "Wenn man dann Geld einspart und gleich acitig etwas für den Umweltschatz fur, ist dan eine Win-win-Situation' Pår die letztgemmten Branchen sagt Lemboff Minzu kommt, dass Kunden vermehrt Wert legen auf machhaltig produzierte Produkte

pleichmitie wall ster in Westafrika

stark zunickschende Naturauf/

wieder mit einheimischen Baumet

antheforster weaten Joh finde solche Projekte mis-



Die Folien bestehen aus Polyethylen (PE). Ihr Recycling-Anteil ist

klimaneutral

News

Poly-Pack produces climate-neutral (Article IKZ online 24.10.2024)

Poly-Pack focuses on climate protection (report IKZ 25.10.2024)

Environmental and energy management - energy consulting 2024

Environmental software "ecozoom" for determining CO₂ emissions

Poly-Pack once again 100% climate-neutral company in 2023 *

Credible climate protection (South Westphalia Manager 05/2024)

Poly-Pack supporter of the Alliance for Development and Climate

Cover story "TOP performer" in the South Westphalia Manager

Poly-Pack cooperates with the Iserlohner Werkstätten

Poly-Pack New production and administration site since April 2016





Pressemitteilung Poly-Pack, Oktober 2024 Klimaneutral (Scope 1+2 des GHC- Protocol)

Glaubwürdiger Umwelt- und Klimaschutz bei Poly-Pack

Der Hersteller von Folienverpackungen Poly-Pack hat in die neue Limweit-Software eczozom zur noch genaueren Ermittlung der Treilbhausgas-Ermissionen und des COI-Fußlahdrucks investlert, Poly-Pack ist, 100% klimaneutrales Unternehmen durch Kompensation aller selbst verursachten Treibhausgas-Ermissionen (gemäß Scope 1-42 des GRC-Protocol) und Understützerin der Allianz für Entwicklung und Klima. Die Software dient dazu, glaubwürdig die Klimaschutz-Anstrengungen des Unternehmens transparent zu machen und die Ermissionshöhe zu bestimmen, die durch das Klimaschutzprojekt TOGO des Partners natureOffice zu 100% kompensiert wird.

Der außerordentlich geringe absolute Wert für die Treibhausgas-Emissionen 2023 basiert auf sehr hohen Energiespar- und Umweltschutzanstrengungen sowie bereits getätigten Investübsehr hohen Energiespar- und Ereiben (siehe Anlage). Poly-Pack strebt für 2025 zudem eine Zertfülzerung nach DIN EN ISO 14001 (Umweltmanagement) und 50001 (Energiemanagement) an, um die Anstrengungen in diesen Bereichen auch extern dokumentleren zu lassen.

Poly-Pack ist in der Verpackungs-Branche Vorreiter für umweltschonende Produkte. Mit einem Recycling-Anteil von über 90 % bei Follenwerpackungen, dem Angebot aller Produkte auf Wunsch als kilmaneutrale Verpackungen (Scope 1-3 des GRIC Protocol) und verschiedenen Bio-Follen-Alternativen auf Basis nachwachsender Rohstoffe ragt Poly-Pack wie nur ganz wenige heraus und setzt schon seit einigen Jahren Standards von morgen um.



Glaubwürdiger Umwelt- und Klimaschutz bei Poly-Pack



Der Hersteller von Folienverpackungen Poly-Pack hat in die neue
Umwelt-Software ecozoom zur
noch genaueren Ermittlung der
Treibhausgas-Emissionen und des
CO2-Fußabdrucks investiert. Poly-Pack ist 100% klimaneutrales
Unternehmen durch Kompensation
aller selbst verursachten Treibhausgas-Emissionen (gemäß Scope 1+2
des GHC-Protocol) und Unterstützerin der Allianz für Entwicklung
und Klima. Die Software dient
dazu, glaubwürdig die Klimaschutz
Anstrengungen des Unternehmens

72 Namen & Nachrichten

transparent zu machen und die Emissionshöhe zu bestimmen, die durch das Klimaschutzprojekt TOGO des Partners natureOffice zu 100% kompensiert wird. Der außerordentlich geringe absolute Wert für die Treibhausgas-Emissionen 2023 basiert auf sehr hohen Energiespar- und Umweltschutzanstrengungen sowie bereits getätigten Investitionen in diesen Bereichen (siehe Anlage).

Poly-Pack ist in der Verpackungs-Branche Vorreiter für umweltschonende Produkte. Mit einem Recycling-Anteil von über 90 % bei Folienverpackungen, dem Angebot aller Produkte auf Wunsch als klimaneutrale Verpackungen (Scope 1-3 des GHC Protocol) und verschiedenen Bio-Folien-Alternativen auf Basis nachwachsender Rohstoffe ragt Poly-Pack wie nur ganz wenige heraus und setzt schon seit einigen Jahren Standards von morgen um.



News

Poly-Pack produces climate-neutral (Article IKZ online 24.10.2024)

Poly-Pack focuses on climate protection (report IKZ 25.10.2024)

Environmental and energy management - energy consulting 2024

Environmental software "ecozoom" for determining CO₂ emissions

Poly-Pack once again 100% climate-neutral company in 2023 *

Credible climate protection (South Westphalia Manager 05/2024)

Poly-Pack supporter of the Alliance for Development and Climate

Cover story "TOP performer" in the South Westphalia Manager

Poly-Pack cooperates with the Iserlohner Werkstätten

Poly-Pack New production and administration site since April 2016



Poly-Pack ®

Products | Sector solutions | Sustainability | About us | Contakt us

Press Release Poly-Pack | November 2022_Alliance for Development and Climats_Project TOGO

Packaging manufacturer Poly-Pack supports Alliance for Development and Climate

For Poly-Pack, the manufacturer of film packaging, protecting the environment is not only a central concern. One also does everything humanly possible for it. This has not gone unnoticed. The packaging company was recently contacted by the Alliance for Development and Climate, an initiative of the German Federal Ministry for Economic Cooperation and Development (BMZ). Since the fall of 2018, this alliance has been pursuing the goal of linking development cooperation and international climate protection via the instrument of voluntary greenhouse gas offsetting and mobilizing additional funds for the financing of important development and climate protection projects in developing and emerging countries. Poly-Pack's 100% climate neutrality, its environmental orientation and its commitment to the TOGO project were convincing, so that the company is now listed among the supporters of the alliance, which includes numerous renowned companies and non-governmental organizations.

Unterstützer der
Allianz für
Entwicklung
und Klima

The Alliance for Development and Climate is an initiative of the German Federal Ministry for Economic Cooperation and Development (BMZ).



The climate protection project supported by Poly-Pack. TOGO is one of 5 projects nominated for the German Sustainability Award 2023. Project TOGO is one of 5 nominated projects for the German Sustainability Award 2023, Poly-Pack supports the project TOGO of the NGO partner natureOffice on the "forgotten continent" Africa since 2020, when this climate protection project was presented to the company. "Project TOGO" meets 12 of the 17 GLOBAL GOALS of the <u>UN Agenda</u> 2030, and is "Gold Standard" certified, making it extremely effective and trustworthy. More than 1.5 million native trees have been planted since the project started in 2010. Natural forest reforestation is considered the most effective method of climate protection. Behind the project is natureOffice's vision of combining climate protection with the improvement of social structures. In close cooperation with the local population and with the support of companies such as Poly-Pack, many sustainable improvements have been achieved and many jobs created.

Poly-Pack already offers its customers all products on request 100% climate neutral. The customers can choose from different national and international climate protection projects and thus compensate their caused CO2 emissions. Poly-Pack has been using very good recycled material in film processing for decades. The rate is constantly above 90%. Large companies are only gradually switching to this material, which is very environmentally friendly and is recommended by the German Federal Environment Agency. Visually, it can hardly be distinguished from virgin material (< 10% share at Poly-Pack) and can be used very well except for contact with food or feed and for special requirements of the pharmaceutical industry, where virgin material is mandatory. Poly-Pack also offers various organic films. (More at: www.poly-pack.de/ Sustainability)

Poly-Pack Verpackungs-GmbH & Co. KG Zollhausstr. 7] D-58640 Iserlohn Fon: +49 2371 9398-22 | Fax: +49 2371 9398-44 Internet: http://www.poly-pack.de Ansprechpartner: Markus Lennhoff (Prokurist) E-Mail: markus.lennhoff@poly-pack.de USt.-ID-Nr.: DE272 197 795 Geschäftsführer: Achim Schmitt Sitz & Registergericht: Iserlohn / Amtsgericht Iserlohn HRA4630



News

Poly-Pack produces climate-neutral (Article IKZ online 24.10.2024)

Poly-Pack focuses on climate protection (report IKZ 25.10.2024)

Environmental and energy management - energy consulting 2024

Environmental software "ecozoom" for determining CO₂ emissions

Poly-Pack once again 100% climate-neutral company in 2023 *

Credible climate protection (South Westphalia Manager 05/2024)

Poly-Pack supporter of the Alliance for Development and Climate

Cover story "TOP performer" in the South Westphalia Manager

Poly-Pack cooperates with the Iserlohner Werkstätten

Poly-Pack New production and administration site since April 2016





Press release Poly-Pack | May 2022 Environmental protection

Packaging manufacturer Poly-Pack 100 % climate-neutral company

For film packaging manufacturer Poly-Pack, protecting the environment is not only an extremely important concern. Poly-Pack also does everything humanly possible for it. Among other things, it was again able to achieve 100% climate neutrality in 2021. The ratio of recycled material in film processing also remained constant at well over 90%.





Since the start of the project in Togo in 2010, more than 1,5 million native trees have been planted.

Poly-Pack has supported the TOGO project of NGO partner natureOffice on the "forgotten continent" of Africa since 2020, when this climate protection project was presented to the company. "Project TOGO" meets 12 of the 17 GLOBAL GOALS of the UN Agenda 2030, and is "Gold Standard" certified, making it extremely effective and trustworthy. More than 1.5 million native trees have been planted since the project was launched in 2010. Behind the project is NatureOffice's vision to combine climate protection with the improvement of social structures. In close cooperation with the local population and with the support of companies such as Poly-Pack, many sustainable improvements have been achieved and many jobs created. Natural forest reforestation is considered the most effective method of climate protection. Poly-Pack already offers its customers all products 100% climate neutral. Customers can choose from various national and international climate protection projects to compensate for their CO2 emissions.

Poly-Pack has been using very good recycled material in film processing for decades. The rate is consistently over 90%. Large companies such as Coca Cola are only gradually switching to this material, which is extremely environmentally friendly and is therefore recommended by the German Federal Environment Agency, Visually, it is almost indistinguishable from virgin material (< 10% share at Poly-Pack) and can be used without any problems and very well except for contact with food or feed and for special requirements of the pharmaceutical industry, where virgin material is mandatory. Poly-Pack also offers various organic films. An environmentally friendly and economically interesting alternative to polyethylene made from fossil fuels is "OK biobased" with 4 stars, based on sugar cane, with a bio-content of 80% (100% is not yet technically possible). Here, a waste product is used that is produced anyway during the sugar cane harvest. Thus, no additional arable land is required, which displaces food land. The bio-film is indistinguishable from fossil-based LD-PE and can also be recycled in combination with the latter in the normal cycle. (More at: www.poly-pack.de/sustainability)







Produktion am Standort Iserlohn











Poly-Pack

News

Poly-Pack produces climate-neutral (Article IKZ online 24.10.2024)

Poly-Pack focuses on climate protection (report IKZ 25.10.2024)

Environmental and energy management - energy consulting 2024

Environmental software "ecozoom" for determining CO₂ emissions

Poly-Pack once again 100% climate-neutral company in 2023 *

Credible climate protection (South Westphalia Manager 05/2024)

Poly-Pack supporter of the Alliance for Development and Climate

Cover story "TOP performer" in the South Westphalia Manager

Poly-Pack cooperates with the Iserlohner Werkstätten

Poly-Pack New production and administration site since April 2016